

ORTHOPAEDIC IMPLANTS

Catalogue



Industrial Estate,
Sialkot - Pakistan.



Phone # +92 52 4267242

Fax # +92 52 3257053

Cell # +92 300 9613532

Cell # +92 333 8729007

Email : info@mastersurgical.com

web : <http://www.mastersurgical.com>

Orthopaedic Implants



002
Malleolar Screw 4.5mm
Length 20mm to 90mm



004
Emergency Screw
4.5mm Self Tapping
Length 12mm to 80mm



005
Cancellous Screw
6.5mm Full Thread
Length 25mm to 120mm



006
Cortical Screw 4.5mm
Length 12mm to 110mm



008
Cortical Screw 2.5mm
Length 6mm to 30mm



009
Cortical Screw 2.7mm
Length 6mm to 40mm



012
Cannulated Screw
6.5mm 16 & 32 Thread
Length 35mm to 120mm



014
Cannulated Screw
7.0mm 16 & 32 Thread
Length 35mm to 120mm



007
Cancellous Screw
6.5mm Thread 32mm
Length 40mm to 120mm



010
Cortical Screw 3.5mm
Length 10mm to 60mm



011
Cortical Screw
3.5mm Fine Pitch
Length 10mm to 60mm



013
Cannulated Screw
4.5mm Short & Full Thread
Length 20mm to 80mm

Orthopaedic Implants

015

Cortical Screw 1.5mm
Length 6mm to 20mm
With Hex & Cross Slot



016

Cortical Screw 2.0mm
Length 6mm to 30mm
With Hex & Cross Slot

017

Cannulated Screw



018

Cannulated Screw
3.5mm Full Thread
Length 14mm to 80mm



019

Locking Screw
Length 20mm to 100mm



020

Cortical Type
5mm 16 Thread
Self Tap 2 Cut
Length 20mm to 100mm



022

Small Cancellous Screw
4.0mm Short Thread
Length 10mm to 60mm



023

Small Cancellous Screw
4.0mm Full Thread
Length 10mm to 60mm



021

Malleolar Screw 3.5mm
Length 15mm to 60mm



024

Cortical Type 5mm
32 Thread
Self Tap 2 Cut
Length 20mm to 100mm



026

Cortical Type 5mm
H-Thread
Self Tap 2 Cut
Length 20mm to 100mm



027

Cortical Type
F-Thread 4.5mm
Self Tap 2 Cut
Length 20mm to 70mm



028

4mm Flat Type
Full Thread Self Tap 3 Cut
Length 20mm to 70mm



029

V Type 5mm
Full Thread Self Tap 2 Cut
Length 20mm to 100mm



Orthopaedic Implants



030

Cancellous Screw
6.5mm Straight Head
Length 40mm to 60mm



031

Cancellous Screw
6.5mm Flat Head
Length 40mm to 100mm



032

Flat Type 5mm
Self Tap Full Thread 3 Cut
Length 20mm to 100mm



033

4mm Flat Type
Full Thread malleolar End
Length 20mm to 70mm



034

4mm Flat Type
Full Thread Self Tap 3 Cut
Length 20mm to 70mm



035

Cortical Type
H-Thread 4.5mm
Self Tap 2 Cut
Length 20mm to 70mm



036

Flat Type 5mm
Malleolar End Full Thread
Length 20mm to 100mm



037

Cancellous Screw
3.5mm Short & Full Thread
Length 12mm to 60mm



038

Cortical Type
H-Thread 4.5mm
Self Tap 2 Cut
Length 20mm to 70mm

Orthopaedic Implants



039

Cancellous Screw
4.5mm Short & Full Thread
Length 12mm to 80mm



040

Flat Type 6.4mm
F-Thread Malleolar End
Length 30mm to 100mm



041

Cannulated Type 6.4mm
23 Th Self Tap 2 Cut
Length 40mm to 100mm



042

V Type 6mm
F-Thread Self Tap 2 Cut
Length 25mm to 100mm

043

Condylar Buttress Plate (L+R)
Ranges between 5 holes to 10 holes

044

Cobra Head Plate
Ranges between 6 holes to 10 holes

045

LC - DCP Broad Plate
Ranges between 4 holes to 12 holes
Available in Swiss Pattern



Orthopaedic Implants

046

Pelvic Re-Construction Plate
3.5mm Curved
Range between 6 holes to 18 holes

047

Maxillo-Mandibular
Re-Construction Plate Chain Like
Ranges between 4 holes to 22 holes

048

Re-Construction Plate 4.5mm
Ranges between 4 holes to 20holes

049

Re-Construction Plate 3.5mm
Ranges between 4 holes to 24 holes

050

Board Lengthening Plate
Ranges between 170mm to 250mm
in 9 Sizes

051

LC - DCP Broad Plate
Ranges between 4 holes to 24 holes

052

Hook Shaped Bone Plate
Available in Standard Sizes

053

LC - DCP Small Plate
Ranges between 2 holes to 14 holes

054

LC - DCP Narrow Plate
Ranges between 2 holes to 20 holes

055

Re-Construction Plate 2.7mm
Ranges between 4 holes to 20 holes

Orthopaedic Implants

056

DCP Small Plate

Ranges between 2 holes to 14 holes
Available in Aesculap & Swiss Pattern

057

Small Fragment Plate 2.7mm

Ranges between 2 holes to 12 holes
Available in Aesculap & Swiss Pattern


058

Straight Mini Plate 20H

059

Straight Micro Plate


Ranges between 4 holes to 10 holes



060

061

062



060

DCP Board Plate

Ranges between 4 holes to 24 holes
Available in Aesculap & Swiss Pattern

061

DCP Narrow Plate

Ranges between 2 holes to 20 holes
Available in Aesculap & Swiss Pattern

062

Small T-Plate x3 (Oblique Angle)

Ranges between 3 holes to 8 holes



063

Small T-Plate x3 (Right Angle)

Ranges between 3 holes to 8 holes

064

Small T-Plate x4 (Right Angle)

Ranges between 3 holes to 8 holes

065

Cervical Spine Head-Plat

Available in Standard Sizes

066

Multiple Fragment Plate 2.7

Available in Standard Sizes

Orthopaedic Implants

067

One Third Tubular Plate

Ranges between 3 holes to 14 holes

068

Quarter Tubular Plate

Ranges between 3 holes to 12 holes

067

068



069

Semi Tubular Plate

Ranges between 2 holes to 12 holes

070

Standard T-Plate

Ranges between 4 holes to 12 holes

071

L-Plate (L+R)

Ranges between 4 holes to 10 holes



072

T-Buttress Plate

Ranges between 4 holes to 12 holes

073

L-Buttress Plate (L+R)

Ranges between 4 holes to 10 holes

074

S- Buttress Plate (L+R)

Ranges between 3 holes to 6 holes



Orthopaedic Implants

075

Mini T-Plate 1.5mm

Available in Standard Sizes

076

Mini T-Plate x 4

Available in Standard Sizes

077



Mini T-Plate 2.7mm

Available in Standard Sizes

078

Mini T-Plate 2mm

Available in Standard Sizes



079

Mini H-Plate

Available in Standard Sizes

080

Mini L-Plate (L&R)

Oblique Angled

Available in Standard Sizes

081

Mini L-Plate 90° (L&R)

Available in Standard Sizes

082

Mini Straight Plate

Ranges Between 2 holes to 20 holes

083

Mini Condylar Plate

Available in Standard Sizes

Orthopaedic Implants

084

Proximal Tibia Plate (L+R)

Ranges between 7 holes to 13 holes

085

Distal Tibia Plate (L+R)

Ranges between 7 holes to 13 holes

086

Distal Femur Plate (L+R)

Ranges between 7 holes to 13 holes

087

Narrow Lengthening Plate


Ranges between 135mm to 175mm

in 7 Sizes

088

Tibial Plate (L+R)

Ranges between 3 holes to 6 holes



089

Orbital T-Type 3x3

Available in Standard Sizes

090

Orbital T-Type 2x4

Available in Standard Sizes

091

Micro Plate With Gap

Available in Standard Sizes

092

Orbital H-Type

Available in Standard Sizes

093

Orbital Y-Type

Available in Standard Sizes

094

Micro Plate Without Gap

Available in Standard Sizes

Orthopaedic Implants

095

Cloverleaf Plate

Ranges between 3 holes to 10 holes

096

Spoon Plate

Ranges between 3 holes to 10 holes

097

Cobra Head Plate

Ranges between 6 holes to 12 holes

098

Sherman Bone Plate

Ranges Between 2 holes to 8 holes in 10 Sizes

099

Laterale Tibia Plate (L+R)

Ranges between 5 holes to 13 holes

100

Jewet Nail Plate 135°

Ranges Between 4 holes to 16 holes
Blade Length 50mm & 120mm

101

Special Jewet Nail Plate 130°

Ranges Between 4 holes to 10 holes
Blade Length 50mm & 120mm

102

Northampton Nail

Available in Standard Sizes

Orthopaedic Implants

103

DHS Trochanter Stabilizing Plate
Available in Standard Sizes

104

Casper Trapezial Plate
For Cervical Spine
Length 28mm to 88mm in 16 Sizes

103

104

105

Calcaneal Plate
Length 60mm & 70mm (L&R)

106

Y-Plate
Available in Standard Sizes

107

Y-Plate Re-Construction Type
Available in Standard Sizes

108

LAG Screw for DHS& DCS
Ranges Between 50mm to 120mm

109

LAG Screw for DHS& DCS
Ranges Between 50mm to 120mm

110

Marquardt Bone Plate Forked 85"
Available in Standard Sizes

111

Compression Screw
Available in Standard Sizes

108

109

110

111

Orthopaedic Implants

112

Dynamic Hip System 135° Long Barrel
Ranges Between 2 holes to 20 holes

113

Dynamic Hip System 135° Short Barrel
Ranges Between 2 holes to 16 holes

114

DCS 95°
Ranges Between 4 holes to 24 holes

115

Angled Plate for Intertrochanteric
Serratus Osteotomies 120°
Available in Standard Sizes

116

Condylar Blade Plate 95°
Ranges Between 4 holes to 20 holes
Blade Length 50mm to 120mm

117

Angled Blade Plate 130°
Ranges Between 4 holes to 16 holes
Blade Length 50mm to 120mm

118

Screw Driver Extra Length Hex 4.5

119

Screw Driver Hex 4.5

120

Screw Driver Hex 2.7 & 3.5

Orthopaedic Implants

121

Paedical Screw Driver Female

122

Cannulated Screw Driver 4.5

123

Paedical Screw Driver Male

124

Screw Driver Cross 2.0mm Nurling

121

123

124

122

125

126

127

128

125

Screw Driver Cross Bending 2.0mm

126

Screw Driver Cross 1.5mm

127

Screw Driver Slot 1.5 & 2.0 mm

128

Screw Driver Cross 2.0mm

131

Harrington Hook
Small (Sharp & Blunt)

132

Harrington Hook
Large (Sharp & Blunt)

133

Cancellous Washer
4.0mm & 6.5mm

134

C-Washer

131

132

134

133

129

Cerclage Wire
Available in Standard Sizes

130

Suture Wire with Spool
Available in Standard Sizes

Orthopaedic Implants

135
Single Hole Plate
Available in Standard Sizes

136
Drill Bit
Available in Standard Sizes

137
Schanz Screw
Available in Standard Sizes

138
Harrington Rod
Available in Standard Sizes

139
Kuntscher Nail Femoral
Available in Standard Sizes

140
Kuntscher Nail Tibia without Collar
Available in Standard Sizes

141
K Wire
Available in Standard Sizes

142
A Wire
Available in Standard Sizes

143
Rush Nail
Available in Standard Sizes

144
Kuntscher Nail Tibia with Collar
Available in Standard Sizes

145
Steinmann Pin
Available in Standard Sizes

Orthopaedic Implants

146

DCP Broad Plate

Ranges Between 4 holes to 12 holes

Available in Swiss Pattern

147

DCP Narrow Plate

Ranges Between 4 holes to 12 holes


Available in Swiss Pattern

148

DCP Small Plate

Ranges Between 4 holes to 10 holes

Available in Swiss Pattern



149

Double Hole Plate

Available in Standard Sizes

150

Z-Plate

Available in Standard Sizes

151

H-Plate

Available in Standard Sizes

152

Casper Trapezial Plate for Cervical Spine

Available in Standard Sizes

153

LC-DCP Small Plate

Ranges Between 4 holes to 10 holes

Available in Swiss Pattern

154

LC-DCP Narrow Plate

Ranges Between 4 holes to 12 holes

Available in Swiss Pattern

155

Dynamic Hip System 135°


Long Barrel

Ranges Between 3 holes to 10 holes

156

Compression Screw

Available in Swiss Pattern



Orthopaedic Implants

157

Re-Construction Plate 3.5mm
Ranges Between 4 holes to 20 holes

158

Re-Construction Plate 4.5mm
Ranges Between 4 holes to 12 holes

159

Re-Construction Plate 1.5 & 2.0mm
Available in 20 holes

161

Pedical Screw Set
Available in Standard Sizes

160

Poly Axel Screw Set
Available in Standard Sizes

162

Cortical Screw
(Cross & Hex)
2.0mm

163

Cortical Screw
(Cross & Hex)
2.7mm

164

Cancellous Screw
6.5mm
Full Thread

165

Cortical Screw
3.5 & 4.5mm

166

Small Cancellous Screw
4.0mm Full Thread

167

Cannulated Screw
6.5mm 16 & 32 Thread

168

Cancellous Screw
(For Z-Plate)
4.0mm

170

Cortical Screw
(Cross & Hex)
1.5 & 1.75mm

171

Cortical Type Check Sign
Full Thread 4.5mm
Self Tap 4 Cut
Length 20mm to 70mm

169

Malleolar Screw
4.5mm



ORTHOPAEDIC IMPLANTS

Catalogue

Design & Printed:
House of Catalogue
11/15, Sector 15, Gurgaon
Haryana-122001
www.houseofcatalogue1.com